

7th International Building Physics Conference

IBPC2018

Proceedings

SYRACUSE, NY, USA

September 23 - 26, 2018

Healthy, Intelligent and Resilient
Buildings and Urban Environments

ibpc2018.org | [#ibpc2018](https://twitter.com/ibpc2018)



Keynotes	1
Dynamic Environment, Adaptive Comfort, and Cognitive Performance (497).....	1
Green Infrastructure and Urban Sustainability Recent Advances and Future Challenges (499).....	7
Humans and Nature in the Loop (498).....	17
Multiphysics Modeling of Materials, Assemblies, Buildings and Cities (496).....	25
The Physics in Natural Ventilation of Cities and Buildings (501).....	35
BE-1 Diagnostics and Models for Building Performance	37
A state-space based method to predict thermal performance of pipe-embedded double skin façade case study in Guangzhou (115).....	37
Computer Tomography as a data acquisition tool for quantifying and modeling in-pore gypsum crystallization in building materials (84).....	43
Determination of the input data for computational simulation of active glazing with changeable optical properties (92).....	49
Predicting the thermal conductivity of porous building materials with nanopores or reduced gas pressures (80).....	55
Rational selection of experimental readouts for hygric material characterisation (197).....	61
Towards validation of a numerical model of a test cell laboratory (362).....	67
BE-2 Liquid Water in Buildings and Materials	73
Adsorption and film forming of train of water droplets impacting porous stones (373).....	73
Application of rain intensity dependent rain admittance factor (RAF) in hygrothermal performance assessment of wall systems (202).....	79
Do interface resistances matter in historic masonries - analysis based on X-ray tomography and heat, air and moisture modelling (33).....	85
Drainage and retention of water in small wall drainage cavities experimental assessment (253).....	91
Rain-tightness of door sill sealing (95).....	97
Water uptake in masonry effect of brickmortar interface (216).....	103
BE-3 Innovative Thermal Insulation Systems	109
Aerogel-enhanced blankets state-of-the-art, market readiness and future challenges (106).....	109
Hygrothermal analysis of a vapour-open assembly with vacuum insulation panels (440).....	115
Measurements of temperature dependency on thermal insulation thickness in ventilated attics (199).....	121
Prediction of the long-term performance of vacuum insulation panels installed in real building environments (342).....	127
Super insulation material in district heating pipes (187).....	133
Super insulation materials in the building sector field studies and future challenges (206).....	139

BE-4 Moisture in Buildings and Materials	145
Effect of air pressure on moisture transfer inside porous building materials three-dimensional behavior of moisture and air (116)	145
Evaluation of the impact of phase change humidity control material on energy performance of office buildings (167)	151
Experimental analysis of micro-cracks on the change of moisture transport properties of AAC (37).	157
Moisture monitoring of wood-frame walls with and without exterior insulation in a Midwestern U.S. cold climate (428).	163
Psychrometer method to measure the moisture retention curves of porous building materials in the full humidity range (59)	169
Semi-permeable membrane experiment for unsaturated liquid permeability of building materials potential and practice (58)	175
BE-5 Ventilation Systems for Buildings	181
Experimental analysis on a solar air heating façade system (235)	181
Experimental validation of a model for naturally ventilated double-skin facades (465)	187
Hygrothermal assessment of north facing, cold attic spaces under the eaves with varying single sided passive ventilation strategies and infiltration rates, in a cool, temperate climate (223)	193
Hygrothermal performance of sealed attics in climate zone 3A (446).	199
Moisture robustness of eaves solutions for ventilated roofs – experimental studies (331)	205
Thermal performance of novel natural ventilation apertures in a high-performance single-family house (240).	211
BE-6 Hygrothermal Performance and Mold Prevention	217
Application of radiant floor heating in large space buildings with significant cold air infiltration through door openings (131).	217
Evaluating the hygrothermal performance of wooden beam heads in 19th century town houses using in-situ measurements (419)	223
Experimental investigations of wooden beam ends in masonry with internal insulation results contrasting three years of the experiment (405)	229
On the hygrothermal behaviour of brick veneer clad timber frame walls the role of the vapour diffusion resistance of the wind barrier (123)	235
Performance evaluation of a highly insulated wall to withstand mould (208).	241
Renovation with internal insulation and heat recovery in real Life – energy savings and risk of mold growth (93).	247
BE-7 Energy Retrofits for Building Envelopes	253
A sustainable approach to the adaptive reuse of historic brick buildings analysis of energy efficiency	

strategies for historic facade retrofits (433)	253
Experimental investigation of latent heat thermal energy storage for highly glazed apartments in a continental climate (13)	259
Interior insulation retrofit of a brick wall using super insulation materials design of a field testing in an industrial brick building (99).....	265
Light transmissibility characterization of a new coating for window retrofit (444)	271
Monitoring and modelling of a prefabricated exterior envelope retrofit (474).....	277
Retrofit of the existing buildings using a novel developed aerogel-based coating results from an in-field monitoring (277).....	283
BE-8 High Performance Building Envelope Systems	289
Comparing exterior wall finishes using life-cycle assessment (372)	289
Experimental study of the performance of a double skin façade window under non-solar conditions (65)	295
Hygrothermal performance assessment of wall systems with various concrete and insulation configurations (194).....	301
Preparation and thermal performance of diatomite-based composite phase change materials wallboard (175).....	307
Study of the mechanical behavior of traditional Japanese mud wall on bamboo lath (272).....	313
Thermal stability of lightweight frame partitions exposed to pulsed wind load (41)	319
BE-9 Innovations in Wood	325
Determination of lead dust fall rates during deconstruction of wood frame buildings in an urban region in the Northeastern United States. (317)	325
Hygrothermal performance of a hygroscopic and permeable wall assembly impact of a vented wall cavity (468).....	331
Improving durability of wooden beam bearings in inside insulated walls by tempering the beam’s heads (407)	337
Sorption hysteresis in wood and its coupling to swelling a new modeling approach (369)	343
The effects of production technologies on the air permeability properties of cross laminated timber (410)	349
Understanding swelling of wood through multiscale modeling (395).....	355
BE-10 Solar Energy Harvesting and Management	361
A transparent insulation solar façade coupled with a selective absorber an experimentally validated building energy simulation model (300).....	361
Power generation and visual comfort performance of photovoltaic toplighting technologies in transient spaces (255)	367
Solar and lighting transmission in complex fenestration systems with perforated solar protection	

systems (436).....	373
Solar efficiency index of building envelopes and load matching in low energy buildings (215)	379
Study on the design method of integration of roof and photovoltaic based on aesthetics, technology and energy-saving characteristic (130)	385
Thermal performance of PCM-glazing unit under moderate climatic conditions (38).....	391
EC-1 Environmental Control Equipment and Systems	397
A deep reinforcement learning method for model-based optimal control of HVAC systems (66).....	397
Air cooling and dehumidification with a zeolite coated heat exchanger regenerated by solar thermal energy (352).....	403
Evaluating the energy consumption and heat loss in the hot water supply and heating systems of a nursing home (177)	409
Extracting radiant cooling from building exhaust air using the Maisotsenko-cycle principle (276)	415
Periodic alternation between intake and exhaust of air in dynamic insulation (328)	421
The energy saving performance of ventilation-heat-recovery system in residential buildings in the summer of hot-summer and cold-winter zone in China (145)	427
EP-1 Residential Energy Analysis and Management	433
Characterisation of the flexibility potential from space heating in French residential buildings (172).....	433
Evaluation of the impact of weather variability on a net zero energy building advantage of sensitivity analysis for performance guarantee (192).....	439
Numerical analysis of a ground-source heat pump system in traditional Japanese “Kyo-machiya” dwellings (166).....	445
Offsetting peak residential cooling loads using a medium temperature chiller and sensible cold thermal storage (181).....	451
Prosumer cluster of single-family houses under the Danish net metering policy (473).....	457
Visualizing the quantitative comparison between exergy & energy analysis results with ExFlow (198)...	463
EP-2 Urban Energy Generation, Analysis and Management	469
A review of microgrid energy systems (431).....	469
Impacts of climate change and its uncertainties on the renewable energy generation and energy demand in urban areas (146).....	475
Multi-stage optimal design of energy systems for urban districts (399).....	481
Novel gas-driven fuel cell HVAC and dehumidification prototype (244)	487
Optimization of electric vehicle charging in a fully (nearly) electric campus energy system (259).....	

.....	493
Studying the impact of local urban heat islands on the space cooling demand of buildings using coupled CFD and building energy simulations (386).....	499
GB-1 Environmental Design, Sensing and the Built Environment	505
An implementation for transforming a home energy management system to a multi-agent system (174).....	505
Bioclimatic tools for sustainable design – uncertainty perspective (422).....	511
Campus as a lab for computer vision-based heat mapping drones a case study for multiple building envelope inspection using unmanned aerial systems (UAS) (285).....	517
Optimal control strategies for passive heating and cooling elements reduce loads by two-thirds in the adaptive reuse of a San Francisco Bay Area office (153).....	523
Sensing and information technologies for the environment (SITE); hardware and software innovations in mobile sensing applications (430).....	529
GB-2 Green Roofs and Vegetation	535
Experimental study on the stomatal resistance of green roof vegetation of semiarid climates for building energy simulations (104).....	535
Greening rooftops to reduce heat islands how large is large enough (402).....	541
Integrated vegetation model for studying the cooling potential of trees in urban street canyons (338).....	547
.....	547
The use of a large, extensive green roof for multiple research objectives (447).....	553
Thermal performance of a green roof based on CHAMPS model and experimental data during cold climatic weather (423).....	559
Using rain and vegetation to improve thermal comfort in a hot street canyon with fully-integrated urban climate modeling (376).....	565
GB-3 Urban Microclimates and the Heat Island Effect	571
An investigate on the quantitative correlation between urban morphology parameters and outdoor ventilation efficiency indices (429).....	571
Effect of urban texture on building energy performance (287).....	577
New microclimate monitoring method and data process for investigating environmental conditions in complex urban contexts (231).....	583
Rapid cooling of urban surfaces during rainfall physical basis, dominant energy fluxes, and sensitivity to pavement and rainfall prop (400).....	589
Using advanced urban canopy models to investigate the potential of thermochromic materials as urban heat island mitigation strategies (283).....	595
HF-1 Office Buildings	601
A picture is worth a thousand words Smartphone photograph-based surveys for collecting data on	

office occupant adaptive opportunities (81).....	601
Benchmarking the energy efficiency of office buildings in Belo Horizonte, Brazil (52).....	607
Exploring occupants' impact at different spatial scales (147).....	613
Neural network models using thermal sensations and occupants' behavior for predicting thermal comfort (28).....	619
Quantification of building energy performance uncertainty associated with building occupants and operators (148).....	625
Towards a new way of capturing occupant well-being (484).....	631
HF-2 Occupant Comfort in Special Cases	637
Conserving energy, conserving buildings airtightness testing in historic New England homes (304).....	637
Field occupants' behavior monitoring integrated to prediction models impact on building energy performance (169).....	643
Modeling and spatial visualization of indoor micro-climates for personalized thermal comfort (316).....	649
Occupants' perception of historical buildings' indoor environment. Two case studies. (356).....	655
Towards human-centered intelligent envelopes A framework for capturing the holistic effect of smart façades on occupant comfort and satisfaction (466).....	661
HF-3 Residences	667
Energy flexibility of building cluster – part I occupancy modelling (186).....	667
HOUSE project Building understanding through an enabled boundary object (324).....	673
Inter-ActiveHouse users driven building performances for nearly zero energy buildings in Mediterranean climate.....	679
The influence of window opening habits on the residential energy use in nearly zero energy buildings (74).....	685
Utilization of heat recovery ventilation steady-state two-zone energy use analysis and field studies (72).....	691
HF-4 Lighting and Visual Quality	697
Application of C-SVM classification algorithm to the lighting visual comfort of university classrooms (46).....	697
Developing and testing visual privacy metrics (60).....	703
Environmental conditions and occupant satisfaction in the workplace a controlled study in a living lab (85).....	709
Generating design-sensitive occupant-related schedules for building performance simulations (87).....	715
Lighting systems and users interactions in classrooms and laboratory rooms (415).....	721

Visual comfort assessment of different shading strategies in a commercial office building in the southeastern US (411).....	727
IE-1 Assessment and Analysis	733
A method for an effective microclimate management in historical buildings combining monitoring and dynamic simulation the cas.....	733
Description method of outdoor climate characteristics considering comprehensive effect on indoor climate (469).....	739
IEQ measurement and assessment tools for plug-and-play deep renovation in buildings (102).....	745
Influence of illumination on paper and silk used in Chinese traditional painting and calligraphy based on Raman spectroscopy in museum (120).....	751
The impact of indoor temperature and CO2 levels on occupant thermal perception and cognitive performance of adult students and the implications on buildings (137).....	757
Thermal and mycological active protection of historic buildings on the example of the baroque residence of Polish kings in Wilanów (40).....	763
IE-2 Field Studies	769
Classification of the indoor environment in a high-school building by means of subjective responses (396).....	769
Comparison between qualitative and quantitative measurement in assessing thermal comfort in an elementary school (445).....	775
Empirical assessment of summertime overheating risk in new, retrofitted and existing UK dwellings (243).....	781
Indoor air quality and thermal comfort for elderly residents in Houston, TX – a case study (245).....	787
Method for detecting contaminant transport through leakages in a condemned school (195).....	793
The impact of physical environments on satisfaction in shopping centers (207).....	799
IE-3 Lighting and Windows	805
A novel methodology to spatially evaluate DGP classes by means of vertical illuminances. Preliminary results. (471).....	805
Comparative study of different design configurations based on the daylight and visual comfort performance of electrochromic glass in a side-lit office building (452).....	811
Daylight availability in a room equipped with PCM window (36).....	817
Development of an electric-driven smart window model for visual comfort assessment (269).....	823
Lighting quality study of shopping malls in China based on the evaluation experiment (88).....	829
Thermal performance of an electric-driven smart window experiments in a full-scale test room and simulation model (270).....	835
IE-4 Ventilation and Air Conditioning	841

A novel approach to near-real time monitoring of ventilation rate and indoor air quality in residential houses (249).....	841
Design and operational strategies for good indoor air quality in low-energy dwellings performance evaluation of two apartment blocks in East London, UK (162).....	847
Effects of semi-open space on micro-environmental control (173).....	853
Numerical investigation of a diffuse ventilation ceiling system for buildings with natural and hybrid ventilation (179).....	859
Research for the optimization of air conditioner sensor position based on the room spatial parameter (132).....	865
The impact of ventilation strategy on overheating resilience and energy performance of schools against climate change the evidence from two UK secondary schools (165).....	871
IE-5 Air Pollution and Control.....	877
Analysis of dynamic variation characteristics and influential factors of PM2.5 on subway platforms under air-conditioning condition and ventilation condition (364).....	877
Assessing the performance of photocatalytic oxidation of volatile organic compounds in three different scaled set-ups (363).....	883
Fate of particles released by a puff–dispersion with different air distributions (475).....	889
Radon levels in rented accommodation (5).....	895
IE-6 Thermal Environment and Control.....	901
Condensation-free radiant cooling using infrared-transparent enclosures of chilled panels (463).....	901
Experimental study on the impact of passive chilled beam in a room with displacement ventilation (42).....	907
Liquid desiccant-polymeric membrane dehumidification system for improved cooling efficiency in built environments (454).....	913
Simulation-based approach to optimize courtyard form concerning climatic comfort in hot and humid climate (105).....	918
The effect of the position and temperature difference of local radiant asymmetry on thermal comfort an experimental investigation (17).....	924
Thermal effect of metal fin inside elevated radiant floor based on the thermal utilization of a burning cave (479).....	930
IM-1 Intelligent Monitoring and Management Systems.....	935
Implementation of integrated wireless sensors technology in renovation of social housing buildings. A Danish case study. (7).....	935
LightLearn Occupant centered lighting controller using reinforcement learning to adapt systems to humans (34).....	941

Sequential Monte Carlo for on-line estimation of the heat loss coefficient (225)	947
The co-heating test as a means to evaluate the efficiency of thermal retrofit measures applied on residential buildings (464).	953
The thermal resistance of retrofitted building components based on in-situ measurements (377).	959
Wireless sensor system for intelligent facades (387).	965
MS-1 Whole Building, Resilience, and Life Cycle Analysis	971
A resilient refurbishment project for an Italian large sports hall (490)	971
Dynamic life cycle assessment integrating cultural value (11)	977
Investigation of energy modelling methods of multiple fidelities a case study (427).	983
Optimal passive design strategies for nearly zero-energy dwellings in different Chilean climates using multi-objective genetic algorithms (24).	989
Pareto optimality analysis for evaluating the tradeoff between visual comfort and energy efficiency (384)	995
Passive survivability in residential buildings during heat waves under dynamic exterior conditions (426)	1001
MS-2 Lighting, Daylighting, and Multi-Physics Models	1007
Comparison of daylighting simulation workflows and results using plugins for BIM and 3D Modelling programs application on early phases of design process (310).	1007
Existing energy performance and the potential of simulation in school buildings – a review (4).	1013
Lighting simulation for external Venetian blinds based on BTDF and HDR sky luminance monitoring (56).	1019
Modelling of a naturally ventilated BIPV system for building energy simulations (273).	1025
Numerical analysis of the influencing factors on the performance of a pipe-embedded window operated in summer (114)	1031
Validation of the EN 151932017 calculation method to estimate the daylight supply in a building comparison with dynamic climate-base (326).	1037
MS-3 Heat and Moisture Transfer in Materials and Assemblies	1043
Assessment of cumulative damage of selected building envelopes exposed to various environmental effects (32)	1043
Impact of the substrate thermal inertia on the thermal behaviour of an extensive vegetative roof in a semiarid climate (448).	1049
New algorithm for water leakages flow through rain screen deficiencies (205).	1055
PV-PCM system integrated into a double skin façade. A genetic optimization based study for the PCM type selection. (71)	1061

Stochastic modelling of hygrothermal performance of highly insulated wood framed wall (190).....	1067
Thermal insulation of radon stack systems to avoid freezing (73).....	1073
MS-4 Co-simulation and Platforms for Integrated Analysis	1079
A GIS based methodology to support multi-criteria decision making for the retrofitting process of residential buildings (398).....	1079
A new normative workflow for integrated life-cycle assessment (291)	1085
Big-open-real-BIM data model - proof of concept (161).....	1091
BIM and game engine integration for operational data monitoring in buildings (383)	1097
Cross-platform, public domain simulation tools for performing parametric IAQ and energy analysis (380).....	1103
Optimization of four-primary white LEDs based on protective effect and color quality-a solution for museum illumination (118).....	1109
MS-5 Computational Fluid Dynamics and Energy Performance	1115
Analytical and experimental investigation on depth and pipe configuration for coaxial borehole heat exchanger (281).....	1115
Comparison of lattice Boltzmann method and finite volume method of large eddy simulation in isothermal room flow (53).....	1121
Development of a supermarket prototype building model (232).....	1127
Improving the representation of convective heat transfer in an urban canopy model (424).....	1133
Streamlined CFD simulation framework to generate wind-pressure coefficients on building facades for airflow network simulations (358).....	1139
Unsteady-state exergy analysis on two types of building envelopes under time-varying boundary condition (33).....	1145
MS-6 Data Analytics, Model Reduction and Calibration	1151
Achieving faster building energy model optimization through selective zone elimination (86).....	1151
Comparison of data-driven building energy use models for retrofit impact evaluation (318).....	1157
Modeling and model calibration for model predictive occupants comfort control in buildings (361).....	1163
Neural networks to predict the hygrothermal response of building components in a probabilistic framework (91).....	1169
Optimization of night cooling of commercial premises using genetic algorithms and neural networks (49)	1175
Use of calibrated building simulation to investigate comfort conditions in a healthcare facility (303).....	1181
MS-7 Material Characterization and Model Parameters	1187

An experimental and modelling study on the adsorption characteristics of activated carbon under different challenge concentration levels (229).....	1187
Development of a procedure for estimating the parameters of mechanistic emission source models from chamber testing data (308).....	1193
Evaluation of the physical interpretability of calibrated building model parameters (248).....	1199
Field experimental investigation of temperature, humidity and solar radiation impacts on formaldehyde emissions from interior furnish material (particle board): a preliminary study (261).....	1205
Study on improving the surface wet condition of subfloor by hygroscopic material in rural residences of China (260).....	1211
The application of computed tomography for characterising the pore structure of building materials (83).....	1217
MS-8 Building Enclosure Design.....	1223
A dynamic thermal network model applied to ventilated attics (27).....	1223
A holistic decision support tool for facade design (413).....	1229
Considerations on the thermal modeling of insulated metal panel systems (309).....	1235
Numerical thermal model of a double-glazed window filled with phase change materials (438).....	1241
On the compliance of thermal performance requirements for highly insulated building units (238).....	1247
The effect of ambient moisture conditions on heat flux time shift and decrement factor of multi-layered walls (392).....	1253
PE-1 Economic and Policy Aspects of Green Buildings.....	1259
Conceptual framework for improved management of risks and uncertainties associated with the performance of the building enclosure (57).....	1259
Effect of economic indicators on cost-optimal energy performance levels of residential building retrofits in the Mediterranean region of Turkey (347).....	1265
Evaluation of efficiency and renewable energy measures considering the future energy mix (274).....	1271
Optimization of government subsidization strategies for building stock energy refurbishment (357).....	1277
Techno economic analysis of individual building renovation roadmaps as an instrument to achieve national energy performance targets (233).....	1283
The impact of an energy efficiency regulation in northern Canada (107).....	1289
PS Poster Session.....	1295
A comparison of model order reduction methods for the simulation of wall heat transfer (70).....	1295

A framework for comfort assessment in buildings and districts retrofit process (101)	1301
A rain simulator to examine green roof and soil moisture sensor performance (417)	1307
A study on natural lighting design strategies for teaching buildings in hot-summer and cold-winter zone of china—a case of the Arts and Sciences building of Xinyang Normal University (133).	1313
Analysis of thermal bridges in insulated masonry walls a comparison between vacuum insulated panels and expanded polystyrene (307).	1319
Application of PCM-to-air heat exchanger for free cooling applications (289).	1325
Assessment of the BIPV potential at the city of Prague and their effect on the built environment (333).	1331
Bio-inspired outdoor systems for enhancing citizens thermal comfort in public spaces by learning from nature (219)	1337
Building information modeling (BIM) implementation for sustainability analysis a mega airport project case study (492)	1343
Chemical analysis of precipitation and stormwater runoff from a large green roof (453).	1349
Computational evaluation of the thermal performance of underground bunkers the case of Albania (150)	1353
Criteria for identifying failure optimization algorithms in building energy optimization and case studies (90)	1359
Effects of gaseous pollution and thermal conditions on the corrosion rates of copper and silver in data center environment a literature review (257)	1365
Elaboration of the decision space for an optimization of building retrofit (336)	1371
Energy flow through the Onondaga County Convention Center green roof (313).	1377
Estimating time constants for over 10,000 residential buildings in North America towards a statistical characterization of thermal dynamics (134)	1383
Experimental investigation of the impact of PCM containment on indoor temperature variations (470)	1389
Hygrothermal modelling of building enclosures reference year design for moisture accumulation and condensation risk assessment (211)	1395
Hygrothermal performance of historic massive wall when is 2D simulation necessary (239).	1401
Innovative composite materials with enhanced acoustic, thermal, and optical performance for urban pavements experimental characterization (230)	1407
Intrinsic evaporative cooling and weather-responsive natural ventilation for adaptive thermal comfort in tropical buildings (155).	1413
Long term measurements and HAM modelling of an interior insulation solution for an office building in cold climate (220).	1419
New technology creates new lightscape (39).	1425

Optical performance of polycarbonate multi-wall panels in the form of transparent insulation based on long-term outdoor measurements (406)	1431
Preliminary monitoring results of ventilated heavyweight building envelope from recycled aggregate (98)	1437
Review of the sky temperature and solar decomposition, and their impact on thermal modeling (458)	1443
Roof windows for passive houses – what can be improved (182)	1449
Sensitivity analysis using the SWMM LID control for an extensive green roof in Syracuse, NY (149)	1455
Simulation of building physics for beginning design students (442)	1461
Study on multivariate regression model of indoor and outdoor particulate pollution in severe cold area of China (26)	1467
The design, construction and commissioning of a small scale dynamic calibrated hot box (241)	1473
The effect of human walking on distribution characteristics of indoor particulate matter (67)	1479
Thermal performance analysis of traditional housing in Albania (94)	1485
Uncertainty in building energy performance characterization impact of gas consumption decomposition on estimated heat loss coefficient (371)	1491
Ventilation potential assessments for residential building arrangements based on exceedance probability analysis (157)	1497
Author Index	1503