



Phase Box

The "phase box" is a simple, low-cost, enclosure made from 20pt acid-free folder stock. It is designed to protect brittle, deteriorated, "low priority" items.

All measurements will be taken from the book to be boxed. No rulers are necessary.


Time: 10-15 min. per box when batched.

The grain direction will run parallel to the spine in all creases.


ξ Tools Needed: pencil, board shear, double sided tape, triangle, scalpel, bone folder, creasing jig.



- Cut two strips of heavy folder stock, one measured to the exact height of the book and one the exact width.
- Mark according to diagrams.



This strip is cut to the width of the book. Mark the height(h) using the height strip and the thickness(t). X marks the excess to be cut off.



This strip is cut to the height of the book. Mark the width(w) using the width strip, the thickness(t) and the flap(f). X marks the excess to be cut off. The thickness measurement of the far right should be approximately 2mm less than the actual thickness to accommodate folding.



Syracuse University Library


Department of Preservation and Conservation Manuals

- Crease and fold.



Assemble:

- On the vertical strip, cut a triangle wedge out of the center right. Place three strips of double-sided tape vertically.



- Bevel the corners of the tuck on the horizontal strip. Remove the right-most tape barrier and place the horizontal strip on the vertical strip, being careful to get it centered and straight. Remove other tape barriers and bone down.






Syracuse University Library

Department of Preservation and Conservation Manuals

- Place in book and fold up.



Shelf Preparation

- With a permanent, fine-tipped marker, write the call number on the spine (the side opposite the tucked in flap).
- When completed, put book and box on the reshelve shelf for quality control and reshelving.